

**NOC OUTCOME LABELS
AND RELATED MEASUREMENT SCALES***

| | | | |
|---|---|---|---|
| Abuse Cessation | I | Child Development: 6 months | M |
| Abuse Protection | F | Child Development: 12 months | M |
| Abuse Recovery: Emotional | I | Child Development: 2 years | M |
| Abuse Recovery: Financial | I | Child Development: 3 years | M |
| Abuse Recovery: Physical | I | Child Development: 4 years | M |
| Abuse Recovery: Sexual | I | Child Development: Preschool | M |
| Abuse Recovery Status | I | Child Development: Middle Childhood | M |
| Abusive Behavior Self-Restraint | M | Child Development: Adolescence | M |
| Acceptance: Health Status | M | Circulation Status | A |
| Activity Tolerance | A | Client Satisfaction: Access to Care Resources | S |
| Adaptation to Physical Disability | M | Client Satisfaction: Caring | S |
| Adherence Behavior | M | Client Satisfaction: Communication | S |
| Aggression Self-Control | M | Client Satisfaction: Continuity of Care | S |
| Allergic Response: Localized | N | Client Satisfaction: Cultural Needs Fulfillment | S |
| Allergic Response: Systemic | N | Client Satisfaction: Functional Assistance | S |
| Ambulation | A | Client Satisfaction: Physical Care | S |
| Ambulation: Wheelchair | A | Client Satisfaction: Physical Environment | S |
| Anxiety Level | N | Client Satisfaction; Protection of Rights | S |
| Anxiety Self-Control | M | Client Satisfaction: Psychological Care | S |
| Appetite | A | Client Satisfaction: Safety | S |
| Aspiration Prevention | M | Client Satisfaction: Symptom Control | S |
| Asthma Self-Management | M | Client Satisfaction: Teaching | S |
| | | Client Satisfaction Technical Aspects of Care | S |
| Balance | A | Cognition | A |
| Blood Coagulation | B | Cognitive Orientation | A |
| Blood Glucose Level | B | Comfort Level | S |
| Blood Loss Severity | N | Comfortable Death | A |
| Blood Transfusion Reaction | N | Communication | A |
| Body Image | K | Communication: Expressive | A |
| Body Mechanics Performance | M | Communication: Receptive | A |
| Body Positioning: Self-Initiated | A | Community Competence | R |
| Bone Healing | I | Community Disaster Readiness | F |
| Bowel Continence | M | Community Health Status | R |
| Bowel Elimination | A | Community Health Status: Immunity | R |
| Breastfeeding Establishment: Infant | F | Community Risk Control: Chronic Disease | R |
| Breastfeeding Establishment: Maternal | F | Community Risk Control: Communicable Disease | R |
| Breastfeeding Maintenance | F | Community Risk Control: Lead Exposure | R |
| Breastfeeding Weaning | F | Community Risk Control: Violence | R |
| | | Community Violence Level | R |
| Cardiac Disease Self-Management | M | Compliance Behavior | M |
| Cardiac Pump Effectiveness | A | Concentration | A |
| Caregiver Adaptation to Patient Institutionalization | M | Coordinated Movement | A |
| Caregiver Emotional health | A | Coping | M |
| Caregiver Home Care Readiness | F | | |
| Caregiver Lifestyle Disruption | N | Decision Making | A |
| Caregiver-Patient Relationship | A | Depression Level | N |
| Caregiver Performance: Direct Care | F | Depression -Self Control | M |
| Caregiver Performance: Indirect Care | F | Diabetes Self-Management | M |
| Caregiver Physical Health | A | Dignified Life Closure | M |
| Caregiver Stressors | N | Discharge Readiness: Independent Living | M |
| Caregiver Well-Being | S | Discharge Readiness: Supported Living | M |
| Caregiving Endurance Potential | F | Distorted Thought Self-Control | M |
| Child Adaptation to Hospitalization | M | | |
| Child Development: 1 month | M | Electrolyte & Acid-Base Balance | A |
| Child Development: 2 months | M | Endurance | A |
| Child Development: 4 months | M | Energy Conservation | M |
| Fall Prevention Behavior | M | | |
| | | Falls Occurrence | G |

| | | | |
|---|---|---|---|
| Family Coping..... | M | Knowledge: Body Mechanics..... | I |
| Family Functioning | M | Knowledge: Breastfeeding | I |
| Family Health Status | A | Knowledge: Cardiac Disease Management | I |
| Family Integrity..... | M | Knowledge: Child Physical Safety | I |
| Family Normalization..... | M | Knowledge: Conception Prevention..... | I |
| Family Participation in Professional Care | M | Knowledge: Diabetes Management..... | I |
| Family Physical Environment | F | Knowledge: Diet | I |
| Family Resiliency..... | M | Knowledge: Disease Process..... | I |
| Family Social Climate | M | Knowledge: Energy Conservation..... | I |
| Family Support During Treatment | M | Knowledge: Fall Prevention | I |
| Fear Level | N | Knowledge: Fertility Promotion..... | I |
| Fear Level: Child..... | N | Knowledge: Health Behavior | I |
| Fear Self-Control..... | M | Knowledge: Health Promotion..... | I |
| Fetal Status: Antepartum | B | Knowledge: Health Resources..... | I |
| Fetal Status: Intrapartum | B | Knowledge: Illness Care | I |
| Fluid Balance | A | Knowledge: Infant Care | I |
| Fluid Overload Severity | N | Knowledge: Infection Control..... | I |
| Grief Resolution | M | Knowledge: Labor and Delivery | I |
| Growth | B | Knowledge: Medication | I |
| Health Beliefs..... | L | Knowledge: Ostomy Care | I |
| Health Beliefs: Perceived Ability to Perform..... | L | Knowledge: Parenting | I |
| Health Beliefs: Perceived Control | L | Knowledge: Personal Safety | I |
| Health Beliefs: Perceived Resources..... | L | Knowledge: Postpartum Maternal Health | I |
| Health Beliefs: Perceived Threat..... | L | Knowledge: Preconception Maternal Health..... | I |
| Health Orientation..... | L | Knowledge: Pregnancy..... | I |
| Health-Promoting Behavior..... | M | Knowledge: Prescribed Activity..... | I |
| Health-Seeking Behavior | M | Knowledge: Sexual Functioning | I |
| Hearing Compensation Behavior..... | M | Knowledge: Substance Use Control..... | I |
| Hemodialysis Access..... | A | Knowledge: Treatment Procedure(s)..... | I |
| Hope..... | M | Knowledge: Treatment Regimen..... | I |
| Hydration | A | Leisure Participation | M |
| Hyperactivity Level..... | N | Loneliness Severity | N |
| Identity | M | Maternal Status: Antepartum..... | B |
| Immobility Consequences: Physiological..... | N | Maternal Status: Intrapartum..... | B |
| Immobility Consequences: Psychocognitive | N | Maternal Status: Postpartum..... | B |
| Immune Hypersensitivity Response | N | Mechanical Ventilation Response: Adult | A |
| Immune Status..... | A | Mechanical Vent. Weaning Response: Adult..... | A |
| Immunization Behavior | M | Medication Response | A |
| Impulse Self-Control..... | M | Memory | A |
| Infection Severity | N | Mobility..... | A |
| Infection Severity: Newborn | N | Mood Equilibrium | M |
| Information Processing..... | A | Motivation..... | M |
| Joint Movement: Ankle..... | B | Nausea and Vomiting Control..... | M |
| Joint Movement: Elbow | B | Nausea and Vomiting: Disruptive Effects | N |
| Joint Movement: Fingers..... | B | Nausea and Vomiting Severity..... | N |
| Joint Movement: Hip..... | B | Neglect Cessation..... | I |
| Joint Movement: Knee | B | Neglect Recovery | I |
| Joint Movement: Neck | B | Neurological Status | A |
| Joint Movement: Passive..... | B | Neurological Status: Autonomic | A |
| Joint Movement: Shoulder | B | Neurological Status: Central Motor Control..... | A |
| Joint Movement: Spine..... | B | Neurological Status: Consciousness..... | A |
| Joint Movement: Wrist..... | B | Neurological Status: Cranial Sensory/Motor Function | A |
| Kidney Function..... | A | Neurological Status: Spinal Sensory/Motor Function | A |
| Newborn Adaptation | B | Nutritional Status: Biochemical Measures | B |
| Nutritional Status..... | B | Nutritional Status: Energy | B |

| | | | |
|--|---|--|---|
| Nutritional Status: Food & Fluid Intake..... | F | (IADL)..... | A |
| Nutritional Status: Nutrient Intake..... | F | Self-Care: Non-Parenteral Medication..... | A |
| Oral Hygiene..... | A | Self-Care: Oral Hygiene..... | A |
| Ostomy Self-Care..... | M | Self-Care: Parenteral Medication..... | A |
| Pain: Adverse Psychological Response..... | N | Self-Care: Toileting..... | A |
| Pain Control..... | M | Self-Care Status..... | A |
| Pain: Disruptive Effects..... | N | Self Direction of Care..... | M |
| Pain Level..... | N | Self-Esteem..... | K |
| Parent-Infant Attachment..... | M | Self-Mutilation Restraint..... | M |
| Parenting: Adolescent Physical Safety..... | M | Sensory Function: Cutaneous..... | B |
| Parenting: Early/Middle Childhood Physical Safety..... | M | Sensory Function: Hearing..... | B |
| Parenting: Infant/Toddler Physical Safety..... | M | Sensory Function: Proprioception..... | B |
| Parenting Performance..... | M | Sensory Function: Taste & Smell..... | B |
| Parenting: Psychosocial Safety..... | M | Sensory Function: Vision..... | B |
| Participation in Health Care Decisions..... | M | Sensory Function Status..... | B |
| Personal Autonomy..... | M | Sexual Functioning..... | M |
| Personal Health Status..... | A | Sexual Identity..... | M |
| Personal Safety Behavior..... | M | Skeletal Function..... | A |
| Personal Well-Being..... | S | Sleep..... | A |
| Physical Aging..... | B | Social Interaction Skills..... | M |
| Physical Fitness..... | A | Social Involvement..... | M |
| Physical Injury Severity..... | N | Social Support..... | F |
| Physical Maturation: Female..... | B | Spiritual Health..... | A |
| Physical Maturation: Male..... | B | Stress Level..... | N |
| Play Participation..... | M | Student Health Status..... | A |
| Postprocedure Recovery Status..... | B | Substance Addiction Consequences..... | N |
| Prenatal Health Behavior..... | M | Suffering Severity..... | N |
| Preterm Infant Organization..... | A | Suicide Self-Restraint..... | M |
| Psychomotor Energy..... | M | Swallowing Status..... | A |
| Psychosocial Adjustment: Life Change..... | M | Swallowing Status: Esophageal Phase..... | A |
| Quality of Life..... | S | Swallowing Status: Oral Phase..... | A |
| Respiratory Status: Airway Patency..... | A | Swallowing Status: Pharyngeal Phase..... | A |
| Respiratory Status: Gas Exchange..... | A | Symptom Control..... | M |
| Respiratory Status: Ventilation..... | A | Symptom Severity..... | N |
| Rest..... | A | Symptom Severity: Perimenopause..... | N |
| Risk Control..... | M | Symptom Severity: Premenstrual Syndrome (PMS)..... | N |
| Risk Control: Alcohol Use..... | M | Systemic Toxin Clearance: Dialysis..... | A |
| Risk Control: Cancer..... | M | Thermoregulation..... | A |
| Risk Control: Cardiovascular Health..... | M | Thermoregulation: Newborn..... | A |
| Risk control; Drug Use..... | M | Tissue Integrity: Skin & Mucous Membranes..... | A |
| Risk Control: Hearing Impairment..... | M | Tissue Perfusion: Abdominal Organs..... | A |
| Risk Control: Sexually Transmitted Diseases (STD) .. | M | Tissue Perfusion: Cardiac..... | A |
| Risk Control: Tobacco Use..... | M | Tissue Perfusion: Cerebral..... | A |
| Risk Control: Unintended Pregnancy..... | M | Tissue Perfusion: Peripheral..... | A |
| Risk Control: Visual Impairment..... | M | Tissue Perfusion: Pulmonary..... | A |
| Risk Detection..... | M | Transfer Performance..... | A |
| Role Performance..... | F | Treatment Behavior: Illness or Injury..... | M |
| Safe Home Environment..... | F | Urinary Continence..... | M |
| Seizure Control..... | M | Urinary Elimination..... | A |
| Self-Care: Activities of Daily Living (ADL)..... | A | Vision Compensation Behavior..... | M |
| Self-Care: Bathing..... | A | Vital Signs..... | B |
| Self-Care: Dressing..... | A | | |
| Self-Care: Eating..... | A | | |
| Self-Care: Hygiene..... | A | | |
| Self-Care: Instrumental Activities of Daily Living | | | |

Weight: Body Mass B
Weight Control M
Will to Live A
Wound Healing: Primary Intention I
Wound Healing: Secondary Intention I

* Adapted from Moorhead S, Johnson M, Maas ML., editors:
Nursing outcomes classification (NOC), ed 3, St. Louis, 2004,
Mosby.

PAB/rac/December 2005